Especialidades Químicas

SDS

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

SAFETY DATA SHEET

Product: HYDRA RETAIL DEMATTING SPRAY

Revision: 01	Date: 09/15/2025	Pages: 1/7

SECTION 1: IDENTIFICATION

GHS product identifier:	HYDRA RETAIL DEMATTING SPRAY
Other means of identification:	7898945056908
Recommended use of the chemical and restrictions on use:	For professional use on dogs and cats of all breeds and coat types.
Supplier's details:	CEQ ESPECIALIDADES QUÍMICAS LTDA **Address**: RUA PANAMBI, 719, CIDADE INDL SATELITE DE SP, CEP: 07224-130 - Guarulhos - SP - Brasil. **Phone number**: +55 11 2413-5000 **E-mail**: fagliari@petsociety.com.br
Emergency phone number:	+55 11 98381-8177

SECTION 2: HAZARD IDENTIFICATION

Classification of the substance or mixture:	Hazardous to the Aquatic Environment - Acute Hazard - Category 2; Hazardous to the Aquatic Environment - Chronic Hazard - Category 3.
Classification system adopted:	Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations.

GHS label elements, including precautionary statements

Pictograms:	Not applicable.
Signal word:	Not applicable
Hazard statement(s):	H401 Toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Precautionary statement(s):	**PREVENTION:** P273 Avoid release to the environment. **DISPOSITION:** P501 Dispose of contents and container in accordance with local regulations.
Other hazards which do not result in classification:	The product has no other hazards.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURE HYDRA RETAIL DEMATTING SPRAY

Components contributing to the hazard:

Product identifier	CAS/EC	Concentration range (%)
Industrial secret 1 [1]	NA	3.75 - 6.25
Industrial secret 2 [2,3]	NA	0.23 - 0.38

[1] Hazard classification: Skin Corrosion/Irritation - Category 3 (H316); Serious eye damage/eye irritation - Category 1 (H318);

Hazardous to the Aquatic Environment - Acute Hazard - Category 1 (H400); Hazardous to the Aquatic Environment - Chronic Hazard - Category 2 (H411).
[2] Contains ingredient classified as sensitizing.
[3] Hazard classification: Skin Sensitization - Category 1 (H317); Skin Corrosion/Irritation - Category 3 (H316); Reproductive Toxicity - Category 1B (H360); Flammable Liquids - Category 4 (H227); Hazardous to the Aquatic Environment - Acute Hazard - Category 2 (H401); Hazardous to the Aquatic Environment - Chronic Hazard - Category 2 (H411).
NA: Not applicable.

SECTION 4: FIRST-AID MEASURES

Description of necessary first-aid measures	
Inhalation:	Remove the victim to a ventilated area.
Skin:	Wash exposed skin with enough water to remove the product.
Eye:	Rinse thoroughly with water for several minutes. If you wear contact lenses, remove them if this is easy to do and continue rinsing. If eye irritation persists: consult a doctor. Bring this document.
Ingestion:	Rinse the victim's mouth with plenty of water. Never give anything by mouth to an unconscious person. If you feel unwell, contact a TOXICOLOGY INFORMATION CENTER or a doctor. Bring this document with you.
Most important symptoms/effects, acute and delayed:	No symptoms and effects are expected after exposure to the material.
Indication of immediate medical attention and special treatment needed, if necessary:	If necessary, provide symptomatic treatment.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media:	Suitable: carbon dioxide (CO_2), foam, water mist and powder. Unsuitable: water jet directly.
Specific hazards arising from the chemical:	Combustion of the material or its packaging can form irritating and toxic gases such as carbon monoxide and dioxide. Vapors can be denser than air and tend to accumulate in low-lying or confined areas such as storm drains and basements. Containers may explode if heated.
Special protective actions for fire-fighters:	Wear positive pressure self-contained breathing apparatus (SCBA) and full protective clothing. Containers and tanks involved in the fire must be cooled with water mist.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel:	Isolate the leakage from sources of ignition. Keep unauthorized persons away from the area. Stop the leakage if it can be done without risk. Do not smoke. Do not touch damaged containers or spilled product without proper clothing. Avoid exposure to the product. Stay in a safe place, with the wind at your back. Use personal protective equipment as described in section 8.
For emergency responders:	Wear complete PPE with safety glasses, safety gloves, suitable protective clothing and closed shoes. In case of leakage, where exposure is high, it is recommended to use a suitable respiratory protection mask.

Environmental precautions:	Avoid that the spilled product reaches waterways or sewage system.
Methods and materials for containment and cleaning up:	Use water mist or vapor suppressing foam to reduce the dispersion of vapors. Use natural or spill containment barriers. Collect spilled products and place them in appropriate containers. Adsorb the remaining product with dry sand, earth, vermiculite, or any inert product. Place the adsorbed product in proper containers and remove it to a safe place. For final disposal, proceed according to Section 13 of this document.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Precautions for safe handling:	Handle in a well-ventilated area or with general ventilation/local exhaust system. Avoid formation of vapors and mists. Avoid exposure to the product, as the effects may not be felt immediately. Use personal protective equipment as described in section 8. Avoid contact with incompatible materials.
General hygiene:	Wash hands and face thoroughly after handling and before eating, drinking, smoking or using the toilet.

Conditions for safe storage, including any incompatibilities

Technical measures for prevention of fire and explosion:	The product is not expected to present a fire or explosion hazard.
Conditions for safe storage, including any incompatibilities:	Store in a well-ventilated place away from sunlight. Keep container closed. It is not necessary addition of stabilizers and antioxidants to ensure the durability. Keep away from incompatible materials.
Packaging compatibilities:	Similar to original packaging.
Inadequate packaging materials:	No unsuitable materials are known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limit:	The values below apply to workplaces. - Ethanol: OSHA - PEL - TWA: 1000 ppm (1900 mg/m³) (29 CFR 1910.1000 Table Z-1) (CFR); NIOSH - REL - TWA: 1000 ppm (1900 mg/m³); ACGIH - TLV - STEL: 1000 ppm. CFR: See mentioned item in OSHA CFR.
Biological limit:	No biological indicators of exposure are established.
Other limits and values:	- Ethanol: IDLH (NIOSH): 3300 ppm [10% LEL].
Appropriate engineering controls:	A risk assessment is recommended to define the engineering control measures necessary to eliminate or minimize the risk. These measures help to reduce exposure to the product. Maintain atmospheric concentrations of the constituents of the material below occupational exposure limits indicated.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection:	Protective glasses.
Skin protection:	Closed shoes and appropriate protective clothing. Disposable gloves.
Respiratory protection:	A risk assessment should be performed for proper definition of respiratory protection, in view of the material use conditions.
Thermal hazards:	It does not present thermal hazards.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid, fluid, clear to opalescent.
Colour:	Opalescent.
Odour:	Characteristic.
Melting point/freezing point:	Not available.
Boiling point or initial boiling point and boiling range:	Not available.
Flammability:	Not available.
Lower and upper explosion limit/ flammability limit:	Not available.
Flash point:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
pH:	4 to 5.
Kinematic viscosity:	Not available.
Solubility:	Miscible in water.
Partition coeficient n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density and/or relative density:	Relative density: 0.99 to 1.01.
Relative vapour density:	Not available.
Particle characteristics:	Not applicable.
Other information:	Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Reactivity is not to be expected under normal conditions of temperature and pressure.
Chemical stability:	Stable under normal temperature and pressure conditions.
Possibility of hazardous reactions:	There are not known hazardous reactions with the material.
Conditions to avoid:	High temperatures. Contact with incompatible materials.
Incompatible materials:	2,4-dinitrotoluene, alkaline metals, aluminum, ammonia, halogen, isocyanates, oxidizing agents, reducing agents, strong acids, strong base, strong oxidizing agents and sulphuric acid.
Hazardous decomposition products:	No dangerous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity:	Product not classified as acute toxic. ATEmix Vapours (4h): > 20 mg/L. ATEmix Dusts and mists (4h): > 5 mg/L. ATEmix Oral: > 5000 mg/kg. ATEmix Dermal: > 5000 mg/kg.
Skin corrosion/irritation:	It is not expected to cause skin irritation.
Serious eye damage/ irritation:	It is not expected to cause eye irritation.
Respiratory or skin sensitization:	It is not expected to present respiratory or skin sensitization. The ingredients Alpha-hexylcinnamaldehyde, Benzyl salicylate, (d)-limonene, Linalool, Geraniol, Citronellol, 2-(4-tert-butylbenzyl)propionaldehyde and Citral, classified as skin sensitisers - category 1, are in concentrations < 1% and do not contribute to this classification of the product.
Germ cell mutagenicity:	It is not expected to show mutagenicity in germ cells.
Carcinogenicity:	It is not expected to be carcinogenic.
Reproductive toxicity:	It is not expected to be reproductively toxic.
STOT - Single exposure:	It is not expected to exhibit specific target organ toxicity by single exposure.
STOT - Repeated exposure:	It is not expected to exhibit specific target organ toxicity on repeated exposure.
Aspiration hazard:	It is not expected to present an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Persistence and degradability:	It is expected that the product presents persistence and it is not considered readily biodegradable.
Bioaccumulative potential:	It is not expected to have a high bioaccumulative potential.
Mobility in soil:	Not determined.

Other adverse effects:	No other environmental effects known.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods

Must be disposed of as waste in compliance with local regulations. The treatment and disposal should be evaluated for each specific product.
Keep the product remains in its original and properly closed containers. Disposal should be performed as established for the product.

SECTION 14: TRANSPORT INFORMATION

Road:	UN - United Nations: Model Regulations: • Recommendations on the Transport of Dangerous Goods.
UN number:	Not classified as hazardous for the road transportation.
Environmental hazards:	The product is not considered dangerous for the environment for land transport.
Railway regulations:	COTIF - Convention concerning International Carriage by Rail: • Appendix C: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail.
UN number:	Not classified as dangerous for rail transport.
Environmental hazards:	The product is not considered dangerous for the environment in rail transport.
Sea:	IMO - International Maritime Organization: • IMDG Code - International Maritime Dangerous Goods Code.
UN number:	Not classified as hazardous for water transportation.
Environmental hazards:	It's not considered a marine pollutant for transportation.
Air:	IATA - International Air Transport Association: • DGR - Dangerous Goods Regulation.
UN number:	Not classified as dangerous for air transport.
Environmental hazards:	The product is not considered dangerous for the environment for air transport.
Special precautions for user:	Not applicable.
Transport in bulk according to IMO instruments:	Consult regulations: • International Maritime Organization: MARPOL: Articles, protocols, annexes, unified interpretations of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 relating thereto, consolidated edition. IMO, London, 2006; • International Maritime Organization: IBC code: International code for the construction and equipment of shipping carrying dangerous chemicals in bulk: With Standards and guidelines relevant to the code. IMO, London, 2007.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question

Convention concerning Safety in the use of Chemicals at Work (Convention 170) - International Labour Organization, 1990.

TSCA: One component of this product is not listed on the TSCA.

SECTION 16: OTHER INFORMATION

This document was prepared based on current knowledge about the proper product handling and under normal conditions of use, in accordance with the application specified on the packaging. Any other use of the product involving their combination with other products, and use various forms of those indicated, are the responsibility of the user. Warns that the handling of any chemical substance requires the prior knowledge of its hazards for the user. In the workplace it is for the user company's product promotes training of its collaborators about the possible risks arising from exposure to the chemical.

Texts of Hazard statements (H) mentioned in section 3:
H227 Combustible liquid;
H316 Causes mild skin irritation;
H317 May cause an allergic skin reaction;
H318 Causes serious eye damage;
H360 May damage fertility or the unborn child;
H400 Very toxic to aquatic life;
H411 Toxic to aquatic life with long lasting effects.

Change control:

Version	Manufacture date	Changes
01	09/15/2025	Elaboration

Abbreviations:
ACGIH - American Conference of Governmental Industrial Hygienists;
ATEmix - Acute Toxicity Estimate of the mixture;
IDLH - Immediately Dangerous to Life or Health;
LEL - Lower Explosive Limit;
NIOSH - National Institute for Occupational Safety and Health;
OSHA - Occupational Safety & Health Administration;
PBT - Persistent, bioaccumulative and toxic;
PEL - Permissible Exposure Limit;
REL - Recommended Exposure Limit;
STEL - Short Term Exposure Limit;
TLV - Threshold Limit Value;
TWA - Time Weighted Average;
UN - United Nations;
vPvB - Very Persistent and very Bioaccumulative.

Bibliographic references:

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®). Cincinnati-USA, 2025.

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS. 10th rev. ed. New York and Geneva: United Nations, 2023.